



Site Emissions Monitoring Data

Licensee	Foamco Industries Pty Ltd					Updated	17th May 2022			
Site	27 Pembury Road, Minto, NSW, 2170					Lincence No	4244			
EPA Sampling Point	Monitoring Frequency	Date Sampled	Date Obtained	Date Published/Updated	Pollutant	Limit	Measured	Units	Exceed Y/N	
1	Annual	27/11/2019	26/03/2020	10/08/2020	2,4 & 2,6 isocyanate combined	0.08	0.0008	mg/m3	N	
	Annual	27/11/2019	26/03/2020	10/08/2020	Methylene Chloride	1	0.73	g/m3	N	
	Annual	27/11/2019	26/03/2020	10/08/2020	Benzene		0.3	mg/m3		
	Annual	27/11/2019	26/03/2020	10/08/2020	Gry Gas density		1.29	kg/m3		
	Annual	27/11/2019	26/03/2020	10/08/2020	Fine Particles		4.6	mg/m3		
	Annual	27/11/2019	26/03/2020	10/08/2020	Moisture		1.8	%v/v		
	Annual	27/11/2019	26/03/2020	10/08/2020	Temperature		296	K		
	Annual	27/11/2019	26/03/2020	10/08/2020	Velocity		19	m/s		
	Annual	27/11/2019	26/03/2020	10/08/2020	Volumetric Flow rate		4.5	m3/s		
	2	Annual	26/11/2019	26/03/2020	10/08/2020	2,4 & 2,6 isocyanate combined	0.002	0.002	mg/m3	N
Annual		26/11/2019	26/03/2020	10/08/2020	Benzene		0.08	mg/m3		
Annual		26/11/2019	26/03/2020	10/08/2020	Gry Gas density		1.29	kg/m3		
Annual		26/11/2019	26/03/2020	10/08/2020	Fine Particles		<1	mg/m3		
Annual		26/11/2019	26/03/2020	10/08/2020	Moisture		2.2	%v/v		
Annual		26/11/2019	26/03/2020	10/08/2020	Temperature		309	K		
Annual		26/11/2019	26/03/2020	10/08/2020	Velocity		15	m/s		
Annual		26/11/2019	26/03/2020	10/08/2020	Volumetric Flow rate		13	m3/s		
Annual		27/11/2019	26/03/2020	10/08/2020	2,4 & 2,6 isocyanate combined	0.008	0.0079	mg/m3	N	
3		Annual	27/11/2019	26/03/2020	10/08/2020	Benzene		0.07	mg/m3	
	Annual	27/11/2019	26/03/2020	10/08/2020	Gry Gas density		1.3	kg/m3		
	Annual	27/11/2019	26/03/2020	10/08/2020	Fine Particles		<3	mg/m3		
	Annual	27/11/2019	26/03/2020	10/08/2020	Moisture		0.88	%v/v		
	Annual	27/11/2019	26/03/2020	10/08/2020	Temperature		297	K		
	Annual	27/11/2019	26/03/2020	10/08/2020	Velocity		17	m/s		
	Annual	27/11/2019	26/03/2020	10/08/2020	Volumetric Flow rate		4.1	m3/s		
	Annual	26/11/2019	26/03/2020	10/08/2020	2,4 & 2,6 isocyanate combined	0.008	0.0077	mg/m3	N	
	Annual	26/11/2019	26/03/2020	10/08/2020	Benzene		0.02	mg/m3		
	Annual	26/11/2019	26/03/2020	10/08/2020	Gry Gas density		1.3	kg/m3		
4	Annual	26/11/2019	26/03/2020	10/08/2020	Fine Particles		<3	mg/m3		
	Annual	26/11/2019	26/03/2020	10/08/2020	Moisture		2.2	%v/v		
	Annual	26/11/2019	26/03/2020	10/08/2020	Temperature		307	K		
	Annual	26/11/2019	26/03/2020	10/08/2020	Velocity		18	m/s		
	Annual	26/11/2019	26/03/2020	10/08/2020	Volumetric Flow rate		4.2	m3/s		
	Annual	22/01/2021	26/04/2021	10/05/2021	2,4 & 2,6 isocyanate combined	0.08	0.0008	mg/m3	N	
	Annual	22/01/2021	26/04/2021	10/05/2021	Methylene Chloride	1	0.46	g/m3	N	
	Annual	22/01/2021	26/04/2021	10/05/2021	Benzene		<.07	mg/m3		
	Annual	22/01/2021	26/04/2021	10/05/2021	Dry Gas density		1.29	kg/m3		
	Annual	22/01/2021	26/04/2021	10/05/2021	Fine Particles		<3	mg/m3		
2	Annual	22/01/2021	26/04/2021	10/05/2021	Moisture		2.1	%v/v		
	Annual	22/01/2021	26/04/2021	10/05/2021	Temperature		297	K		
	Annual	22/01/2021	26/04/2021	10/05/2021	Velocity		22	m/s		
	Annual	22/01/2021	26/04/2021	10/05/2021	Volumetric Flow rate		5.2	m3/s		
	Annual	12/02/2021	26/04/2021	10/05/2021	2,4 & 2,6 isocyanate combined	0.002	0.001	mg/m3	N	
	Annual	12/02/2021	26/04/2021	10/05/2021	Benzene		0.04	mg/m3		
	Annual	12/02/2021	26/04/2021	10/05/2021	Dry Gas density		1.29	kg/m3		
	Annual	12/02/2021	26/04/2021	10/05/2021	Fine Particles		2	mg/m3		
	Annual	12/02/2021	26/04/2021	10/05/2021	Moisture		1.8	%v/v		
	Annual	12/02/2021	26/04/2021	10/05/2021	Temperature		305	K		
3	Annual	12/02/2021	26/04/2021	10/05/2021	Velocity		14	m/s		
	Annual	12/02/2021	26/04/2021	10/05/2021	Volumetric Flow rate		11	m3/s		
	Annual	22/01/2021	26/04/2021	10/05/2021	2,4 & 2,6 isocyanate combined	0.008	0.002	mg/m3	N	
	Annual	22/01/2021	26/04/2021	10/05/2021	Benzene		0.02	mg/m3		
	Annual	22/01/2021	26/04/2021	10/05/2021	Dry Gas density		1.29	kg/m3		
	Annual	22/01/2021	26/04/2021	10/05/2021	Fine Particles		<3	mg/m3		
	Annual	22/01/2021	26/04/2021	10/05/2021	Moisture		1.8	%v/v		
	Annual	22/01/2021	26/04/2021	10/05/2021	Temperature		304	K		
	Annual	22/01/2021	26/04/2021	10/05/2021	Velocity		15	m/s		
	Annual	22/01/2021	26/04/2021	10/05/2021	Volumetric Flow rate		3.6	m3/s		
4	Annual	12/02/2021	26/04/2021	10/05/2021	2,4 & 2,6 isocyanate combined	0.008	0.0004	mg/m3	N	
	Annual	12/02/2021	26/04/2021	10/05/2021	Benzene		0.03	mg/m3		
	Annual	12/02/2021	26/04/2021	10/05/2021	Dry Gas density		1.29	kg/m3		
	Annual	12/02/2021	26/04/2021	10/05/2021	Fine Particles		<3	mg/m3		
	Annual	12/02/2021	26/04/2021	10/05/2021	Moisture		2.2	%v/v		
	Annual	12/02/2021	26/04/2021	10/05/2021	Temperature		309	K		
	Annual	12/02/2021	26/04/2021	10/05/2021	Velocity		17	m/s		
1	Annual	12/02/2021	26/04/2021	10/05/2021	Volumetric Flow rate		4	m3/s		
	Annual	31/01/2022	22/04/2022	17/05/2022	2,4 & 2,6 isocyanate combined	0.08	0.0015	mg/m3	N	
	Annual	18/02/2022	22/04/2022	17/05/2022	Methylene Chloride	1	0.52	g/m3	N	
	Annual	18/02/2022	22/04/2022	17/05/2022	Benzene		<.000002	mg/m3		
Annual	18/02/2022	22/04/2022	17/05/2022	Dry Gas density		1.29	kg/m3			

	Annual	31/01/2022	22/04/2022	17/05/2022	Fine Particles		<3	mg/m3	
	Annual	18/02/2022	22/04/2022	17/05/2022	Moisture		2.2	%v/v	
	Annual	18/02/2022	22/04/2022	17/05/2022	Temperature		301	K	
	Annual	18/02/2022	22/04/2022	17/05/2022	Velocity		21	m/s	
	Annual	18/02/2022	22/04/2022	17/05/2022	Volumetric Flow rate		5	m3/s	
2	Annual	31/03/2022	22/04/2022	17/05/2022	2,4 & 2,6 isocyanate combined	0.002	0.0019	mg/m3	N
	Annual	1/02/2022	22/04/2022	17/05/2022	Benzene		0.0000076	mg/m3	
	Annual	31/03/2022	22/04/2022	17/05/2022	Dry Gas density		1.29	Kg/m3	
	Annual	1/02/2022	22/04/2022	17/05/2022	Fine Particles		<1	mg/m3	
	Annual	31/03/2022	22/04/2022	17/05/2022	Moisture		1.6	%v/v	
	Annual	31/03/2022	22/04/2022	17/05/2022	Temperature		300	K	
	Annual	31/03/2022	22/04/2022	17/05/2022	Velocity		14	m/s	
	Annual	31/03/2022	22/04/2022	17/05/2022	Volumetric Flow rate		12	m3/s	
3	Annual	29/03/2022	22/04/2022	17/05/2022	2,4 & 2,6 isocyanate combined	0.008	0.0077	mg/m3	N
	Annual	31/01/2022	22/04/2022	17/05/2022	Benzene		<.00000003	mg/m3	
	Annual	29/03/2022	22/04/2022	17/05/2022	Dry Gas density		1.29	Kg/m3	
	Annual	31/01/2022	22/04/2022	17/05/2022	Fine Particles		<3	mg/m3	
	Annual	29/03/2022	22/04/2022	17/05/2022	Moisture		2	%v/v	
	Annual	29/03/2022	22/04/2022	17/05/2022	Temperature		294	K	
	Annual	29/03/2022	22/04/2022	17/05/2022	Velocity		17	m/s	
	Annual	29/03/2022	22/04/2022	17/05/2022	Volumetric Flow rate		4.1	m3/s	
4	Annual	22/02/2022	22/04/2022	17/05/2022	2,4 & 2,6 isocyanate combined	0.008	0.0031	mg/m3	N
	Annual	1/02/2022	22/04/2022	17/05/2022	Benzene		<.00000003	mg/m3	
	Annual	22/02/2022	22/04/2022	17/05/2022	Dry Gas density		1.29	Kg/m3	
	Annual	1/02/2022	22/04/2022	17/05/2022	Fine Particles		<4	mg/m3	
	Annual	22/02/2022	22/04/2022	17/05/2022	Moisture		2.2	%v/v	
	Annual	22/02/2022	22/04/2022	17/05/2022	Temperature		299	K	
	Annual	22/02/2022	22/04/2022	17/05/2022	Velocity		18	m/s	
	Annual	22/02/2022	22/04/2022	17/05/2022	Volumetric Flow rate		4.1	m3/s	
1	Annual	7/10/2022	26/04/2023	10/05/2023	2,4 & 2,6 isocyanate combined	0.08	0.0029	mg/m3	N
	Annual	7/10/2022	26/04/2023	10/05/2023	Methylene Chloride	1	1.5	g/m3	Y, variation appln and subsequent testing done
	Annual	7/10/2022	26/04/2023	10/05/2023	Benzene		<.0000002	mg/m3	
	Annual	7/10/2022	26/04/2023	10/05/2023	Dry Gas density		1.29	Kg/m3	
	Annual	7/10/2022	26/04/2023	10/05/2023	Fine Particles		<2	mg/m3	
	Annual	7/10/2022	26/04/2023	10/05/2023	Moisture		2.7	%v/v	
	Annual	7/10/2022	26/04/2023	10/05/2023	Temperature		297	K	
	Annual	7/10/2022	26/04/2023	10/05/2023	Velocity		21	m/s	
	Annual	7/10/2022	26/04/2023	10/05/2023	Volumetric Flow rate		4.6	m3/s	
2	Annual	10/10/2022	26/04/2023	10/05/2023	2,4 & 2,6 isocyanate combined	0.002	0.004	mg/m3	N
	Annual	10/10/2022	26/04/2023	10/05/2023	Benzene		<0.04	mg/m3	
	Annual	10/10/2022	26/04/2023	10/05/2023	Dry Gas density		1.29	Kg/m3	
	Annual	10/10/2022	26/04/2023	10/05/2023	Fine Particles		<1	mg/m3	
	Annual	10/10/2022	26/04/2023	10/05/2023	Moisture		0.89	%v/v	
	Annual	10/10/2022	26/04/2023	10/05/2023	Temperature		293	K	
	Annual	10/10/2022	26/04/2023	10/05/2023	Velocity		14	m/s	
	Annual	10/10/2022	26/04/2023	10/05/2023	Volumetric Flow rate		11	m3/s	
3	Annual	7/10/2022	26/04/2023	10/05/2023	2,4 & 2,6 isocyanate combined	0.008	0.0023	mg/m3	N
	Annual	7/10/2022	26/04/2023	10/05/2023	Benzene		<0.03	mg/m3	
	Annual	7/10/2022	26/04/2023	10/05/2023	Dry Gas density		1.29	Kg/m3	
	Annual	10/10/2022	26/04/2023	10/05/2023	Fine Particles		<3	mg/m3	
	Annual	7/10/2022	26/04/2023	10/05/2023	Moisture		2.3	%v/v	
	Annual	7/10/2022	26/04/2023	10/05/2023	Temperature		294	K	
	Annual	7/10/2022	26/04/2023	10/05/2023	Velocity		15	m/s	
	Annual	7/10/2022	26/04/2023	10/05/2023	Volumetric Flow rate		3.6	m3/s	
4	Annual	12/01/2023	26/04/2023	10/05/2023	2,4 & 2,6 isocyanate combined	0.008	<0.0016	mg/m3	N
	Annual	10/10/2022	26/04/2023	10/05/2023	Benzene		<.03	mg/m3	
	Annual	10/10/2022	26/04/2023	10/05/2023	Dry Gas density		1.29	Kg/m3	
	Annual	10/10/2022	26/04/2023	10/05/2023	Fine Particles		<3	mg/m3	
	Annual	10/10/2022	26/04/2023	10/05/2023	Moisture		1.2	%v/v	
	Annual	10/10/2022	26/04/2023	10/05/2023	Temperature		297	K	
	Annual	10/10/2022	26/04/2023	10/05/2023	Velocity		18	m/s	
	Annual	10/10/2022	26/04/2023	10/05/2023	Volumetric Flow rate		4.1	m3/s	
1	Annual	7/02/2024	19/04/2024	22/05/2024	2,4 & 2,6 isocyanate combined	0.08	0.0019	mg/m3	N
	Annual	7/02/2024	19/04/2024	22/05/2024	Methylene Chloride	1	0.84	g/m3	N
	Annual	11/08/2023	19/04/2024	22/05/2024	Benzene		<0.3	mg/m3	
	Annual	7/02/2024	19/04/2024	22/05/2024	Dry Gas density		1.18	Kg/m3	
	Annual	7/02/2024	19/04/2024	22/05/2024	Fine Particles		<2	mg/m3	
	Annual	7/02/2024	19/04/2024	22/05/2024	Moisture		<0.4	%v/v	
	Annual	7/02/2024	19/04/2024	22/05/2024	Temperature		301	K	
	Annual	7/02/2024	19/04/2024	22/05/2024	Velocity		21	m/s	
	Annual	7/02/2024	19/04/2024	22/05/2024	Volumetric Flow rate		4.9	m3/s	
2	Annual	5/09/2023	19/04/2024	22/05/2024	2,4 & 2,6 isocyanate combined	0.002	<0.001	mg/m3	N
	Annual	8/08/2023	19/04/2024	22/05/2024	Benzene		<.07	mg/m3	
	Annual	8/08/2023	19/04/2024	22/05/2024	Dry Gas density		1.29	Kg/m3	
	Annual	8/08/2023	19/04/2024	22/05/2024	Fine Particles		<1	mg/m3	
	Annual	8/08/2023	19/04/2024	22/05/2024	Moisture		<0.4	%v/v	
	Annual	8/08/2023	19/04/2024	22/05/2024	Temperature		297	K	
	Annual	8/08/2023	19/04/2024	22/05/2024	Velocity		13	m/s	
	Annual	8/08/2023	19/04/2024	22/05/2024	Volumetric Flow rate		10	m3/s	
3	Annual	7/02/2024	19/04/2024	22/05/2024	2,4 & 2,6 isocyanate combined	0.008	0.0012	mg/m3	N
	Annual	11/08/2023	19/04/2024	22/05/2024	Benzene		<.04	mg/m3	
	Annual	7/02/2024	19/04/2024	22/05/2024	Dry Gas density		1.29	Kg/m3	

	Annual	7/02/2024	19/04/2024	22/05/2024	Fine Particles		<3	mg/m3	
	Annual	7/02/2024	19/04/2024	22/05/2024	Moisture		1.4	%v/v	
	Annual	7/02/2024	19/04/2024	22/05/2024	Temperature		300	K	
	Annual	7/02/2024	19/04/2024	22/05/2024	Velocity		17	m/s	
	Annual	7/02/2024	19/04/2024	22/05/2024	Volumetric Flow rate		4.1	m3/s	
4	Annual	5/09/2023	19/04/2024	22/05/2024	2,4 & 2,6 isocyanate combined	0.008	<0.0029	mg/m3	N
	Annual	8/08/2023	19/04/2024	22/05/2024	Benzene		<0.03	mg/m3	
	Annual	5/09/2023	19/04/2024	22/05/2024	Dry Gas density		1.29	Kg/m3	
	Annual	8/08/2023	19/04/2024	22/05/2024	Fine Particles		<3	mg/m3	
	Annual	5/09/2023	19/04/2024	22/05/2024	Moisture		1	%v/v	
	Annual	5/09/2023	19/04/2024	22/05/2024	Temperature		295	K	
	Annual	5/09/2023	19/04/2024	22/05/2024	Velocity		19	m/s	
	Annual	5/09/2023	19/04/2024	22/05/2024	Volumetric Flow rate		4.3	m3/s	

Link to EPA

<https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4244&id=4244&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>