

Licensee	Foamco Industries Pty Ltd						Updated	17th May 2022	
Site	27 Pembury Road, Minto, NSW, 2170						Lincence No	4244	
EPA Sampling Point	Monitoring Frequency	Date Sampled	Date Obtained	Date Published/Updated	Pollutant	Limit	Measured	Units	Exceed Y/N
1	Annual	22/01/2021	26/04/2021	10/05/2021	2,4 & 2,6 isocyanate combined	0.08	0.0008	mg/m3	N
	Annual	22/01/2021	26/04/2021	10/05/2021	Methylene Chloride	1	0.46	g/m3	N
	Annual	22/01/2021	26/04/2021	10/05/2021	Benzene		<.07	mg/m3	
	Annual	22/01/2021	26/04/2021	10/05/2021	Dry Gas density		1.29	Kg/m3	
	Annual	22/01/2021	26/04/2021	10/05/2021	Fine Particles		<3	mg/m3	
	Annual	22/01/2021	26/04/2021	10/05/2021	Moisture		2.1	%v/v	
	Annual	22/01/2021	26/04/2021	10/05/2021	Temperature		297	K	
	Annual	22/01/2021	26/04/2021	10/05/2021	Velocity		22	m/s	
	Annual	22/01/2021	26/04/2021	10/05/2021	Volumetric Flow rate		5.2	m3/s	
2	Annual	12/02/2021	26/04/2021	10/05/2021	2,4 & 2,6 isocyanate combined	0.002	0.001	mg/m3	N
	Annual	12/02/2021	26/04/2021	10/05/2021	Benzene		0.04	mg/m3	
	Annual	12/02/2021	26/04/2021	10/05/2021	Dry Gas density		1.29	Kg/m3	
	Annual	12/02/2021	26/04/2021	10/05/2021	Fine Particles		2	mg/m3	
	Annual	12/02/2021	26/04/2021	10/05/2021	Moisture		1.8	%v/v	
	Annual	12/02/2021	26/04/2021	10/05/2021	Temperature		305	K	
	Annual	12/02/2021	26/04/2021	10/05/2021	Velocity		14	m/s	
	Annual	12/02/2021	26/04/2021	10/05/2021	Volumetric Flow rate		11	m3/s	
3	Annual	22/01/2021	26/04/2021	10/05/2021	2,4 & 2,6 isocyanate combined	0.008	0.002	mg/m3	N
	Annual	22/01/2021	26/04/2021	10/05/2021	Benzene		0.02	mg/m3	
	Annual	22/01/2021	26/04/2021	10/05/2021	Dry Gas density		1.29	Kg/m3	
	Annual	22/01/2021	26/04/2021	10/05/2021	Fine Particles		<3	mg/m3	
	Annual	22/01/2021	26/04/2021	10/05/2021	Moisture		1.8	%v/v	
	Annual	22/01/2021	26/04/2021	10/05/2021	Temperature		304	K	
	Annual	22/01/2021	26/04/2021	10/05/2021	Velocity		15	m/s	
	Annual	22/01/2021	26/04/2021	10/05/2021	Volumetric Flow rate		3.6	m3/s	
4	Annual	12/02/2021	26/04/2021	10/05/2021	2,4 & 2,6 isocyanate combined	0.008	0.0004	mg/m3	N
	Annual	12/02/2021	26/04/2021	10/05/2021	Benzene		0.03	mg/m3	
	Annual	12/02/2021	26/04/2021	10/05/2021	Dry Gas density		1.29	Kg/m3	
	Annual	12/02/2021	26/04/2021	10/05/2021	Fine Particles		<3	mg/m3	
	Annual	12/02/2021	26/04/2021	10/05/2021	Moisture		2.2	%v/v	
	Annual	12/02/2021	26/04/2021	10/05/2021	Temperature		309	K	
	Annual	12/02/2021	26/04/2021	10/05/2021	Velocity		17	m/s	
	Annual	12/02/2021	26/04/2021	10/05/2021	Volumetric Flow rate		4	m3/s	
1	Annual	31/01/2022	22/04/2022	17/05/2022	2,4 & 2,6 isocyanate combined	0.08	0.0015	mg/m3	N
	Annual	18/02/2022	22/04/2022	17/05/2022	Methylene Chloride	1	0.52	g/m3	N
	Annual	18/02/2022	22/04/2022	17/05/2022	Benzene		<.0000002	mg/m3	
	Annual	18/02/2022	22/04/2022	17/05/2022	Dry Gas density		1.29	Kg/m3	
	Annual	31/01/2022	22/04/2022	17/05/2022	Fine Particles		<3	mg/m3	
	Annual	18/02/2022	22/04/2022	17/05/2022	Moisture		2.2	%v/v	
	Annual	18/02/2022	22/04/2022	17/05/2022	Temperature		301	K	
	Annual	18/02/2022	22/04/2022	17/05/2022	Velocity		21	m/s	
	Annual	18/02/2022	22/04/2022	17/05/2022	Volumetric Flow rate		5	m3/s	
2	Annual	31/03/2022	22/04/2022	17/05/2022	2,4 & 2,6 isocyanate combined	0.002	0.0019	mg/m3	N
	Annual	1/02/2022	22/04/2022	17/05/2022	Benzene		0.0000076	mg/m3	
	Annual	31/03/2022	22/04/2022	17/05/2022	Dry Gas density		1.29	Kg/m3	
	Annual	1/02/2022	22/04/2022	17/05/2022	Fine Particles		<1	mg/m3	
	Annual	31/03/2022	22/04/2022	17/05/2022	Moisture		1.6	%v/v	
	Annual	31/03/2022	22/04/2022	17/05/2022	Temperature		300	K	
	Annual	31/03/2022	22/04/2022	17/05/2022	Velocity		14	m/s	
	Annual	31/03/2022	22/04/2022	17/05/2022	Volumetric Flow rate		12	m3/s	
3	Annual	29/03/2022	22/04/2022	17/05/2022	2,4 & 2,6 isocyanate combined	0.008	0.0077	mg/m3	N
	Annual	31/01/2022	22/04/2022	17/05/2022	Benzene		<.00000003	mg/m3	
	Annual	29/03/2022	22/04/2022	17/05/2022	Dry Gas density		1.29	Kg/m3	
	Annual	31/01/2022	22/04/2022	17/05/2022	Fine Particles		<3	mg/m3	
	Annual	29/03/2022	22/04/2022	17/05/2022	Moisture		2	%v/v	
	Annual	29/03/2022	22/04/2022	17/05/2022	Temperature		294	K	
	Annual	29/03/2022	22/04/2022	17/05/2022	Velocity		17	m/s	
	Annual	29/03/2022	22/04/2022	17/05/2022	Volumetric Flow rate		4.1	m3/s	
4	Annual	22/02/2022	22/04/2022	17/05/2022	2,4 & 2,6 isocyanate combined	0.008	0.0031	mg/m3	N
	Annual	1/02/2022	22/04/2022	17/05/2022	Benzene		<.00000003	mg/m3	
	Annual	22/02/2022	22/04/2022	17/05/2022	Dry Gas density		1.29	Kg/m3	
	Annual	1/02/2022	22/04/2022	17/05/2022	Fine Particles		<4	mg/m3	
	Annual	22/02/2022	22/04/2022	17/05/2022	Moisture		2.2	%v/v	
	Annual	22/02/2022	22/04/2022	17/05/2022	Temperature		299	K	
	Annual	22/02/2022	22/04/2022	17/05/2022	Velocity		18	m/s	
	Annual	22/02/2022	22/04/2022	17/05/2022	Volumetric Flow rate		4.1	m3/s	
1	Annual	7/10/2022	26/04/2023	10/05/2023	2,4 & 2,6 isocyanate combined	0.08	0.0029	mg/m3	N
	Annual	7/10/2022	26/04/2023	10/05/2023	Methylene Chloride	1	1.5	g/m3	Y, variation appln and subsequent testing done
	Annual	7/10/2022	26/04/2023	10/05/2023	Benzene		<.0000002	mg/m3	
	Annual	7/10/2022	26/04/2023	10/05/2023	Dry Gas density		1.29	Kg/m3	
	Annual	7/10/2022	26/04/2023	10/05/2023	Fine Particles		<2	mg/m3	
	Annual	7/10/2022	26/04/2023	10/05/2023	Moisture		2.7	%v/v	
	Annual	7/10/2022	26/04/2023	10/05/2023	Temperature		297	K	
	Annual	7/10/2022	26/04/2023	10/05/2023	Velocity		21	m/s	
	Annual	7/10/2022	26/04/2023	10/05/2023	Volumetric Flow rate		4.6	m3/s	
2	Annual	10/10/2022	26/04/2023	10/05/2023	2,4 & 2,6 isocyanate combined	0.002	0.004	mg/m3	N
	Annual	10/10/2022	26/04/2023	10/05/2023	Benzene		<0.04	mg/m3	

	Annual	10/10/2022	26/04/2023	10/05/2023	Dry Gas density		1.29	Kg/m3	
	Annual	10/10/2022	26/04/2023	10/05/2023	Fine Particles		<1	mg/m3	
	Annual	10/10/2022	26/04/2023	10/05/2023	Moisture		0.89	%v/v	
	Annual	10/10/2022	26/04/2023	10/05/2023	Temperature		293	K	
	Annual	10/10/2022	26/04/2023	10/05/2023	Velocity		14	m/s	
	Annual	10/10/2022	26/04/2023	10/05/2023	Volumetric Flow rate		11	m3/s	
3	Annual	7/10/2022	26/04/2023	10/05/2023	2,4 & 2,6 isocyanate combined	0.008	0.0023	mg/m3	N
	Annual	7/10/2022	26/04/2023	10/05/2023	Benzene		<0.03	mg/m3	
	Annual	7/10/2022	26/04/2023	10/05/2023	Dry Gas density		1.29	Kg/m3	
	Annual	10/10/2022	26/04/2023	10/05/2023	Fine Particles		<3	mg/m3	
	Annual	7/10/2022	26/04/2023	10/05/2023	Moisture		2.3	%v/v	
	Annual	7/10/2022	26/04/2023	10/05/2023	Temperature		294	K	
	Annual	7/10/2022	26/04/2023	10/05/2023	Velocity		15	m/s	
	Annual	7/10/2022	26/04/2023	10/05/2023	Volumetric Flow rate		3.6	m3/s	
4	Annual	12/01/2023	26/04/2023	10/05/2023	2,4 & 2,6 isocyanate combined	0.008	<0.0016	mg/m3	N
	Annual	10/10/2022	26/04/2023	10/05/2023	Benzene		<.03	mg/m3	
	Annual	10/10/2022	26/04/2023	10/05/2023	Dry Gas density		1.29	Kg/m3	
	Annual	10/10/2022	26/04/2023	10/05/2023	Fine Particles		<3	mg/m3	
	Annual	10/10/2022	26/04/2023	10/05/2023	Moisture		1.2	%v/v	
	Annual	10/10/2022	26/04/2023	10/05/2023	Temperature		297	K	
	Annual	10/10/2022	26/04/2023	10/05/2023	Velocity		18	m/s	
	Annual	10/10/2022	26/04/2023	10/05/2023	Volumetric Flow rate		4.1	m3/s	
1	Annual	7/02/2024	19/04/2024	22/05/2024	2,4 & 2,6 isocyanate combined	0.08	0.0019	mg/m3	N
	Annual	7/02/2024	19/04/2024	22/05/2024	Methylene Chloride	1	0.84	g/m3	N
	Annual	11/08/2023	19/04/2024	22/05/2024	Benzene		<0.3	mg/m3	
	Annual	7/02/2024	19/04/2024	22/05/2024	Dry Gas density		1.18	Kg/m3	
	Annual	7/02/2024	19/04/2024	22/05/2024	Fine Particles		<2	mg/m3	
	Annual	7/02/2024	19/04/2024	22/05/2024	Moisture		<0.4	%v/v	
	Annual	7/02/2024	19/04/2024	22/05/2024	Temperature		301	K	
	Annual	7/02/2024	19/04/2024	22/05/2024	Velocity		21	m/s	
	Annual	7/02/2024	19/04/2024	22/05/2024	Volumetric Flow rate		4.9	m3/s	
2	Annual	5/09/2023	19/04/2024	22/05/2024	2,4 & 2,6 isocyanate combined	0.002	<0.001	mg/m3	N
	Annual	8/08/2023	19/04/2024	22/05/2024	Benzene		<.07	mg/m3	
	Annual	8/08/2023	19/04/2024	22/05/2024	Dry Gas density		1.29	Kg/m3	
	Annual	8/08/2023	19/04/2024	22/05/2024	Fine Particles		<1	mg/m3	
	Annual	8/08/2023	19/04/2024	22/05/2024	Moisture		<0.4	%v/v	
	Annual	8/08/2023	19/04/2024	22/05/2024	Temperature		297	K	
	Annual	8/08/2023	19/04/2024	22/05/2024	Velocity		13	m/s	
	Annual	8/08/2023	19/04/2024	22/05/2024	Volumetric Flow rate		10	m3/s	
3	Annual	7/02/2024	19/04/2024	22/05/2024	2,4 & 2,6 isocyanate combined	0.008	0.0012	mg/m3	N
	Annual	11/08/2023	19/04/2024	22/05/2024	Benzene		<.04	mg/m3	
	Annual	7/02/2024	19/04/2024	22/05/2024	Dry Gas density		1.29	Kg/m3	
	Annual	7/02/2024	19/04/2024	22/05/2024	Fine Particles		<3	mg/m3	
	Annual	7/02/2024	19/04/2024	22/05/2024	Moisture		1.4	%v/v	
	Annual	7/02/2024	19/04/2024	22/05/2024	Temperature		300	K	
	Annual	7/02/2024	19/04/2024	22/05/2024	Velocity		17	m/s	
	Annual	7/02/2024	19/04/2024	22/05/2024	Volumetric Flow rate		4.1	m3/s	
4	Annual	5/09/2023	19/04/2024	22/05/2024	2,4 & 2,6 isocyanate combined	0.008	<0.0029	mg/m3	N
	Annual	8/08/2023	19/04/2024	22/05/2024	Benzene		<0.03	mg/m3	
	Annual	5/09/2023	19/04/2024	22/05/2024	Dry Gas density		1.29	Kg/m3	
	Annual	8/08/2023	19/04/2024	22/05/2024	Fine Particles		<3	mg/m3	
	Annual	5/09/2023	19/04/2024	22/05/2024	Moisture		1	%v/v	
	Annual	5/09/2023	19/04/2024	22/05/2024	Temperature		295	K	
	Annual	5/09/2023	19/04/2024	22/05/2024	Velocity		19	m/s	
	Annual	5/09/2023	19/04/2024	22/05/2024	Volumetric Flow rate		4.3	m3/s	
1	Annual	23/01/2025	27/02/2025	28/05/2025	2,4 & 2,6 isocyanate combined	0.08	<0.002	mg/m3	N
	Annual	23/01/2025	27/02/2025	28/05/2025	Methylene Chloride	1	0.93	g/m3	N
	Annual	23/01/2025	27/02/2025	28/05/2025	Benzene		0.07	mg/m3	
	Annual	23/01/2025	27/02/2025	28/05/2025	Dry Gas density		1.29	Kg/m3	
	Annual	23/01/2025	27/02/2025	28/05/2025	Fine Particles		9.1	mg/m3	
	Annual	23/01/2025	27/02/2025	28/05/2025	Moisture		1.8	%v/v	
	Annual	23/01/2025	27/02/2025	28/05/2025	Temperature		303	K	
	Annual	23/01/2025	27/02/2025	28/05/2025	Velocity		22	m/s	
	Annual	23/01/2025	27/02/2025	28/05/2025	Volumetric Flow rate		4.7	m3/s	
2	Annual	30/01/2025	27/02/2025	28/05/2025	2,4 & 2,6 isocyanate combined	0.002	<0.001	mg/m3	N
	Annual	30/01/2025	27/02/2025	28/05/2025	Benzene		0.05	mg/m3	
	Annual	30/01/2025	27/02/2025	28/05/2025	Dry Gas density		1.29	Kg/m3	
	Annual	30/01/2025	27/02/2025	28/05/2025	Fine Particles		0.08	mg/m3	
	Annual	30/01/2025	27/02/2025	28/05/2025	Moisture		2	%v/v	
	Annual	30/01/2025	27/02/2025	28/05/2025	Temperature		299	K	
	Annual	30/01/2025	27/02/2025	28/05/2025	Velocity		13	m/s	
	Annual	30/01/2025	27/02/2025	28/05/2025	Volumetric Flow rate		9.5	m3/s	
3	Annual	30/01/2025	27/02/2025	28/05/2025	2,4 & 2,6 isocyanate combined	0.008	<0.0012	mg/m3	N
	Annual	30/01/2025	27/02/2025	28/05/2025	Benzene		0.02	mg/m3	
	Annual	30/01/2025	27/02/2025	28/05/2025	Dry Gas density		1.29	Kg/m3	
	Annual	30/01/2025	27/02/2025	28/05/2025	Fine Particles		9.8	mg/m3	
	Annual	30/01/2025	27/02/2025	28/05/2025	Moisture		2	%v/v	
	Annual	30/01/2025	27/02/2025	28/05/2025	Temperature		299	K	
	Annual	30/01/2025	27/02/2025	28/05/2025	Velocity		17	m/s	
	Annual	30/01/2025	27/02/2025	28/05/2025	Volumetric Flow rate		3.5	m3/s	
4	Annual	30/01/2025	27/02/2025	28/05/2025	2,4 & 2,6 isocyanate combined	0.008	<0.0018	mg/m3	N
	Annual	30/01/2025	27/02/2025	28/05/2025	Benzene		0.009	mg/m3	
	Annual	30/01/2025	27/02/2025	28/05/2025	Dry Gas density		1.29	Kg/m3	
	Annual	30/01/2025	27/02/2025	28/05/2025	Fine Particles		9.7	mg/m3	
	Annual	30/01/2025	27/02/2025	28/05/2025	Moisture		2	%v/v	
	Annual	30/01/2025	27/02/2025	28/05/2025	Temperature		300	K	
	Annual	30/01/2025	27/02/2025	28/05/2025	Velocity		18	m/s	
	Annual	30/01/2025	27/02/2025	28/05/2025	Volumetric Flow rate		3.6	m3/s	

Link to EPA

<https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4244&id=4244&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>